FOR MYSORE STATE

Dept. (1953) Department.

MS SERIES.

Passed

The

G.O. NO. 1802

Dated 17.4.'53

[Despatch Abstract.]

Buildings - Forest Dept. - Quarters of the Dy. Forest Officer, and his Asst. on the Kadur Hill, S. Kanara - Installation of an electrical pumpset - Revised estimate - Approved.

22—7,79,806—25-9-50.

Forest Department

From (Name)
Sri M.Kesavan Unni Nayar,I.F.S.
Designation
Chief Conservator of Forests,
Station
Madras.2.

SECRETARY TO ... DEVELOPMENT

Received 28 FEB ... Registered

To

The Secretary to Government,
Development Department,
Fort St George, Madras.

Enclosures:
Reference Revised Estimate

No.10021/51-A2 dated 13th February 1953.

22286

Sir,

Subject: WATER SUPPLY- Buildings- Quarters of the District Forest officer and his Assistant on the Kadri Hill, South Kanara- Installation of an electrica pump set.

Reference:G.O.Ms.No.2931,Development,dated 28-7-1950.

Of the three items of work sanctioned in the G.O. cited, one item viz., the provision of an electrically driven pump set to the well in the District Forest Officer's quarters, Kadiri Hills, Mangalore which also supplies water to the quarters of his Assistant has not been completed yet. Against the sum of Rs.2,300/- sanctioned for this work, an expenditure of Rs.2,493-15-0 has already been incurred and the Electrical Engineer General has found it necessary to revise the estimate . The revised estimate for Rs.5,360/- received from him, is submitted herewith, with the request that the Government be pleased to accord the requisite sanction.

2. The need for completing the above work has become imperative because the wind mill constructed in 1929-30 at a cost of Rs.2,168/- for supplying water from the well for the quarters of the District Forest Officer and his Assistant has become unserviceable from about the beginning of 1950, necessitating the employment of special labour at a cost of not less than Rs.25/- a month by the occupants of each of the two bungalows, as the well in question is 90 feet deep. Since this expenditure had to be incurred in addition to the payment of rent at 10% for the quarters, the District Forest Officer, South Kanara applied in January 1950 itself, for relief, by suggesting the employment of a mazdoor at Government cost, for drawing the required quantity of water from the well for the two bungalows. But the proposal was dropped on 21-8-50 in view of the sanction, accorded in the G.O. dated 28-7-50 for the installation of an electrically driven pump set to the well.

3. As, however, the pump set has not yet been installed, as explained in para 1 above, and as the District Forest Officer and his Assistant continue to incur extra expenditure for getting the required quantity of water from the well, the

District

District Forest Officer has revived the proposal for the employment of a mazdoor on Rs.30/- per mensem at Government cost and has requested that it be given retrospective effect from 21-8-50, the date on which it was originally dropped. The Conservator has supported it.

In the above circumstances, I request that Government be pleased to sanction the employment of a mazdoor on Rs.30/- pe mensem for drawing, from the well on the Kadiri hills, the quantities of water required for the quarters of the District Forest Officer, South Kanara and his Assistant until the electrically driven pump set is installed and begins to function.

This sanction may also be accorded with retrospective effect from 21-8-50.

for CHIEF CONSERVATOR OF FORESTS.

~~Encs:~~

bav.
15.2

Office of the Electrical Engineer (General),
35/38, Thambu Chetty St, G.T.Madras.

Revised Estimate for the work of Pro.Electric Pumpset to Dt. Forest officer's Bungalow, Kadri Hills, Mangalore.

Revised Estimate No.157/SK/51-52 Original Estimate No.186/SK/51-52. Approved in P.W.D.G.O.MS.NO.2931 dated 28-7-50 for Rs.2300/-

Techincally sanctioned in EER.8 R of 48-49.

Description of work.	Item No.	Original Estimate. Quantity.	Rate.	Amount.	Revised Estimate. Quantity.	Rate.	Amount.	More.	Less.	Remarks.
			Rs.	Rs.		Rs.	Rs.	Rs.	Rs.	
Supply and erection of 3 H.P. electric motor AC 400/440 3 phase 50 cycles directly coupled to a centrifugal pump 1½" suction and 1¼" delivery and 1440 R.P.M. capable of delivering about 20 gallons per minute against a total head of 125 ft.complete with common bed plate, M.E.M.started, 15/25 amp.and15 amp. T.P.I.C. on T.W. Board including concrete foundation of suitable size.	1	1 No.	1500	1500					1500	
Supply & fixing 1¼" G.I.bend with couplings.	2	1 No.	10	10					10	
-do- 1½" G.I. Bend -do-	3.	2 Nos.	15	30					30	
Run of 4 of 7/20 W.P.S.C. cable through suitable conduit pipe from the star delta starter to the motor for mains.	4.	15 yds.	5	75					75	
Wiring with 7/20 CTS.+SC.cable on T.W.fillets from the T.P.I.C. swith to the starter for mains.	5.	3 yds.	3	9	3 yds.	6	18	9		
Run of 6 of 7/20 W.P.S.C. cable										

through suitable conduit pipe from the star delta starter to the motor for mains.		/ds.	29	207	207
Supply and erecting 3 H.P. electric motor AC.400/440 volts 3 phase 50 cycles directly coupled to a deep well pump with 1½" suction and 1¼" delivery capable of delivering about 400 gallons per hour against a suction of 45 ft. and a total head of 125 ft. on the existing girders inside the well with suitable starter, 15 amps. T.P.I.C. switch with fuses and suitable protecting G.I.covers for the pumpset and the starter including fixing the necessary length of suction pipes with foot valve and connecting the delivery to the existing delivery pipe one foot above the existing old pump. -		1 No.		3160	3160
Contingencies. 5%.	93			170	77
Service connection charges.	300			210	90
Centages. 14%	283			523	240 -
	2300			4288	3693 1705
Add 25% due to fluctuation.				1072	1072
				5360	4765 1705
Deduct amount already sanctioned.				2300	
Net amount requiring sanction.				3060	

5360
2300
3060

Report: While preparing the estimate for pumpset, the level of the water in the well was only 15 feet. Due to continous drought, the level of the water has gone more than 25 feet and it is still going down. The centrifugal pump that has been proposed is not capable of pumping water owing to the unforeseen changes. Hence a deep well pump in its place has been proposed. Besides, the new suction pipes have to be included since the Dt.Forest officer refuses to utilise the existing pipe lines. Hence the difference.

GS.22.2.

25/2

TRUE COPY

25/2/53

2/2 For Chief Conservator of Forests

Dev.(C I).

Subj. Buildings - Forest dept - Quarters of the Dt. Forest Officer, and his Asst. on the Kadri Hill, S. Kanara - Installation of an electrical pumpset - Revised estimate Approved.

Read. G.O. Ms. 2931 Dev d 28.7.1950,
From the C.C.F. No. 10021/51-A2 d 13.2.53

G.O. Ms 1802 Dev. 17-4-53.

The revised estimate for Rs 5360 (Rupees Five thousand three hundred and sixty only) submitted with the letter cited, in connection with the provision of an electrically driven pumpset to the well in D.F.O's quarters, Kadri Hills, Mangalore is approved. The Govt. also direct that suitable rent based on the capital cost of the installation of the pumpset, ~~shall~~ be recovered from the occupants, in addition to the usual rent for the residences, payable under the Rules.

The C.C's proposal to sanction a mazdoor on Rs 30 pm. for drawing water from the well, with effect from 21.8.1950 is not approved.

By Order of the Governor,

To The C.C.F
A.G. thro' Fin

14/4/53

11/4/53

Devt(Cl)

Water Supply-Buildings-Quarters of the D.F.O and his Assistant on the Kadri Hill, South Kanara-Installation of an electrical pump set

...

From the C.C.F., No.10021/51-A2 d/13-2-53

...

In G.O.Ms.2931 Devt. dated 28-7-50 sanction was accorded to (1) the provision of electrical installation to the D.F.O's quarters Kadiri Hills at Rs. 2606/-, (2) provision of electrical installation to the quarters of the Assistant to the D,F.O, Kadri Hills at Rs.2601 and (3) provision of an electrically driven pump set to the well in the D.F.O's quarters, Kadriri Hills at Rs.2300/-

Now the C.C.F has reported that of the three items of work referred to above, one item, viz., the provision of an electrically driven pump set to the well in the D.F.O's quarters, Kadri Hills, which also supplies water to the quarters of his Asst., has not been completed yet, that against the sum of Rs.2300/- sanctioned for this work, an expre. of Rs.2,493-15-0 has already been incurred, that the Electrical Engineer General has found it necessary to revise the estimate and that therefore he has now submitted a revised estimate for Rs.5,360. The C.C.F. has requested that the revised estimate may be sanctioned. For orders whether the revised estimate of Rs 5360 will be sanctioned.

Further the C.C.F. has stated that the need for completing the above work has become imperative because the wind mill constructed in 1929-30 at a cost of Rs.2,168/- for supplying water from the well for the quarters of the D.F.O and his Asst. has become unserviceable from about the beginning of 1950, necessitating the employment of special labour at a cost of not less than Rs.25/- a month by the occupants of each of the two bungalows, as the well in question is 90 feet deep and that since this expre. had to be incurred in addition to the payment of rent at 10% for the quarters, the D.F.O applied

C

in January 1950 itself, for relief, by suggesting the employment of muzdoor at Govt cost, for drawing the required quantity of water from the well for the two bungalows, but the proposal was dropped by him (C.C.F.) in view of the sanction accorded in G.O.Ms.No.2931 Devt. dated 28-7-50 for the installation of an electrically driven pump set to the well. As, however, the pump set has not yet been installed and as the D.F.O and his Asst continue to incur extra expenditure for getting the required quantity of water from the well, the C.C.F. has stated that the D.F.O has revived the proposal for the employment of a mazdoor on Rs.30/- per mensem at Govt cost and has requested that it be given retrospective effect from 21-8-50, the date on which it was originally dropped. It has been reported the Conservator has supported the D.F.O's proposal to employ a muzdoor at Govt cost. The C.C.F. has therefore requested that sanction may be accorded with retrospective effect from 21.8.50 to the employment of a mazdoor on Rs.30/- per mensem for drawing from the well on the Kadiri Hills, the quantities of water required for the quarters of the D.F.O and his Asst until the electrically driven pump set is installed and begins to function. In the circumstances stated by the C.C.F. it is for orders whether the revised estimate submitted by the Electrical Engineer General for Rs. 5,360/ and the proposal of the C.C.F., to accord sanction for the employment of a mazdoor on Rs.30/- with retrospective effect, on Govt cost will be approved. P.W.D. and Finance may see for remarks.

A

Advise may be approved.

Dev no 222 BGS/53-1
P/4/53

P.W.

Fin

DEPUTY SECRETARY TO GOVERNMENT
6 MAR 1953
PUBLIC WORKS DEPARTMENT

22402

P.W.D(C)

The Dept Deptt wrote from p/ante may be perused

2. The revised estimate of Rs 5360/- for the work now submitted by the C.C.F. for approval of Govt exceeds the orgl. estimate of Rs 2,300/- sanctioned in the G.O. at (A) by more than 100 %. The reasons for the excess will be found at p 3 c/f. This Deptt may perhaps agree to the proposal of Dept to approve the revised estimate for Rs 5360/- ~~subject to orders being taken in circulation including those of M(P.W).~~

3. With these remarks the file may be passed on to Finance.

9/2/13 9/2/13

4/

It is submitted that according to note 5 under para 229 of the P.W.D. Code, pumps should not be installed at public expense on wells attached to Govt residences. However in cases where pumps were installed for special reasons, it has been ordered that suitable rent based on the capital cost of the installation should be recovered from the occupant, in addition to the usual rent for the residence payable under the rules, i.e. in addition to ~~the~~ pay of the occupant the standard rent of the residence or 10% of pay of the occupant, whichever is less. This is being done in the case of the quarters of the D.M.O., Kozhikode, Collector of Mangalore and the

Thro' Gr.

18/2/13

Vide A on p 1 m/f (W) (W) (G.O. 4246 PW dt 19.11.51) W.L.F. (G.O 2846 PW)

'M' on p 1 m/f (W) W.L.F. (G.O 4246 PW dt 19.11.51)

4

D.S.P., Kozhikode. If the proposal in this file to instal a pump in the quarters of the D.F.O is approved; the order ~~when~~ sanctioning the installation should also provide for the recovery of rent for the pump.

The file may be passed on to Finance Dept.

18.3.53

19/3/53

PWD 2m 22402 C153-1

21-3-53

21-3-53

Fm.

Finance (Exep.C) Department

The notes on pp. 1-2 above may be perused.

2. The proposals of Development are:-

(a) to approve of a revised estimate for Rs. 5,360/- for the installation of an electric pumpset for the well in the D.F.O's quarters on the Kadri Hill, South Kanara, in lieu of the estimate of Rs. 2,300/- sanctioned in the G.O. at 'A' ; and

(b) to accord sanction for the employment of a mazdoor on Rs. 30/- with retrospective effect from 21-8-1950 for drawing water from the well for supply to the quarters ~~by~~ of the D.F.O and his Assistant.

ADDITIONAL DEPUTY SECRETARY TO GOVERNMENT 23976 23 MAR 1953 FINANCE DEPARTMENT

3. Proposal (a) above: The reasons for the excess in the estimate are given in the Report at the bottom of page 3 c.f. P.W. agree to the proposal subject to the remarks in paragraph 4 on pp. 3-4 above, namely suitable rent based on the capital cost of the installation should be recovered in addition to the usual rent for the residence payable under the rules. The proposal may be accepted in Finance subject to the remark of Public Works.

30/3/53 R

4. Proposal (b) in paragraph 1 above:

It will be seen from paragraph 4 of the note of

Public Works Department on pp. 3-4 above that in the cases mentioned therein, rent on the capital cost of installation of pumps is being recovered in addition to the rent payable for the residence. In the present case also, the occupants of the quarters who will pay rent for the pumpset on its installation, will have it seems, to meet the charges on the employment of labour for supplying water pending the installation of the pumpset, Finance may therefore advise that the proposal may be negatived.

A 30/3/53

30/3/53 & DCV

Fin. Lr.O. 38732
23976/EC/53-1
30.3.53

THIRD ASST. SECRETARY TO GOVERNMENT
1 APL 1953
DEVELOPMENT DEPARTMENT

Devt(CI)

This Dept's note on pp 1-2 above, P.W.D. note on pp 3-4 above and Fin note on pp 4-5 above may be perused. The proposals in this file are:- (1) to approve the revised estimate submitted by the C.C.F. for Rs.5,360/- for the installation of an electric pumpset for the well in the D.F.O's quarters on the Kadri Hill, South Kanara, in lieu of the estimate for Rs.2,300/- sanctioned in G.O.MS.2931 Devt dated 28-7-50, and (2) to accord sanction for the employment of a mazdoor on Rs.30/-p.m with retrospective effect from 21-8-50 for drawing water from the well, for supply to the quarters of the D.F.O and his Assistant till the pumpset is installed. As regards proposal (1) above, this Dept proposed to sanction the revised estimate of Rs.5360/-. P.W.D have agreed to the proposal subject to the condition that suitable rent based on the capital cost of the installation of the pumpset, should be recovered from the occupants of the bungalow in addition to the usual rent for the residence payable. Finance also have agreed to the proposal subject to the condition suggested by P.W.D. For order-

b

2222 C. ET/53

whether the revised estimate of Rs 5360/- will be sanctioned and 23/9/4
whether ~~this Dept will agree to~~ the suggestion of P.W.D
that suitable rent based on the capital cost of the
installation of the pumpset, should be recovered from A
the occupants of the residence besides the usual rent
for the building, will be accepted. ~~and whether the C.C.F will be asked~~
~~to recover rent for the pumpset~~.

As regards proposal (2) referred to on p-5 above,
viz sanction with retrospective effect for the
~~viz~~ employment of a mazdoor on Rs.30/- p.m to draw
water from the well for supply to the quarters of the
D.F.O: and his Assist. till the pumpset is installed,
this Dept ~~proposed to accord sanction. P.W.D have not~~ agreed to the proposal. vide A, p 2 ante
~~offered any remarks on this proposal.~~ Finance have
advised to negative the proposal for the reasons stated
~~at~~ in their note at A on p-5 above. For orders whether
this Dept will agree with the suggestion of Fin and negative B
the proposal of the C.C.F for the employment of a mazdoor
on Rs.30/- p.m., with retrospective effect from 21-8-50
till the installation of the pumpset.

The case may be circulated for orders on the proposals at
(A) and (B) above.

Note from X & in pre page may be perused
A and B above may be approved.

6/4/53 Rhs 9453

G 8413 S/Sec: Agri 9/4

Secretary (Agr)

10 APR 1953 (11, 12, 13 Writings)

DEPUTY SECRETARY TO GOVERNMENT DEVELOPMENT DEPARTMENT 10 APR 1953

A draft order is submitted for approval

Rhs 14/4/53 G 15/4/53

(Issued as Roms 1802 Dept 9/17 4/53)

B.S.R.